

## **Amplus Led Display Software LINK**

[Download](#)

# How to Use Amplus LED Display Software to Create Stunning Messages

Amplus LED display software is a simple and user-friendly program that allows you to create and edit text and graphic messages for your Amplus LED display boards. Whether you want to display a single line or multiple lines of information, in single or multi colors, Amplus LED display software can help you achieve your goals.

In this article, we will show you how to use Amplus LED display software to create stunning messages for your indoor or outdoor LED display boards. We will cover the following topics:

- How to install and launch Amplus LED display software
- How to connect your LED display board to your computer
- How to create and edit text and graphic messages
- How to save and send messages to your LED display board
- How to adjust the brightness, speed, and effects of your messages

## How to Install and Launch Amplus LED Display Software

To install Amplus LED display software, you need to have a CD-ROM drive on your computer. Insert the CD-ROM that came with your LED display board into your CD-ROM drive and follow the instructions on the screen. The installation process should take only a few minutes.

To launch Amplus LED display software, click on the shortcut icon on your desktop or go to Start > All Programs > Amplus > Amplus LED Display Software. You should see a window like this:



This is the main interface of Amplus LED display software. Here you can create and edit messages, adjust settings, and send messages to your LED display board.

## How to Connect Your LED Display Board to Your Computer

To connect your LED display board to your computer, you need a RS232 cable or a USB adapter. The RS232 cable is a 9-pin serial port cable that connects your LED display board to the COM port of your computer. The USB adapter is a device that converts the RS232 signal to a USB signal that can be recognized by your computer.

If you are using a RS232 cable, plug one end of the cable into the RS232 port of your LED display board and the other end into the COM port of your computer. If you are using a USB adapter, plug one end of the adapter into the RS232 port of your LED display board and the other end into a USB port of your computer.

Once you have connected your LED display board to your computer, you need to set up the communication parameters in Amplus LED display software. Click on the Communication button on the toolbar or go to Communication > Communication Setting. You should see a window like this:



Here you can select the COM port number that matches the port where you plugged in your RS232

cable or USB adapter. You can also select the baud rate, data bits, stop bits, and parity that match the specifications of your LED display board. The default values are 9600 baud rate, 8 data bits, 1 stop bit, and no parity. Click OK when you are done.

## How to Create and Edit Text and Graphic Messages

To create a new message, click on the New button on the toolbar or go to File > New. You should see a window like this:



Here you can select the type of message you want to create: text or graphic. You can also select the color of your message: single color or multi color. Depending on the type and color of your message, you will see different options for editing your message.

If you select text message, you can type in your message in the text box at the bottom of the window. You can also select the font size, style, alignment, and language of your text. You can use English characters as well as European characters and user fonts

9960be7511

<https://github.com/exinphastext/figma-html/blob/master/assets/Kisssoft%202010%20Crack%20Rar%20Pass%20How%20to%20Use%20CMD%20Notepad%20or%20Common%20Passwords%20to%20Break%20WinRAR%20Password.md>

<https://github.com/7capeWlisu/Urbanist/blob/main/fonts/otf/Police%20Simulator%2018%20Download%20Setup%20Compressed%20The%20Most%20Comprehensive%20Review%20of%20the%20Game.md>

<https://github.com/lubnoVcompqi/platforms/blob/main/app/api/Mom%20Movie%20in%20Hindi%20Download%20A%20Gripping%20Tale%20of%20a%20Stepdaughters%20Sexual%20Assault%20and%20Mothers%20Retaliation.md>

<https://github.com/stupinYpersdzu/Stevia/blob/master/LoginExample/1920%20Hindi%20Movie%20Subtitles%20English%20Experience%20the%20Chills%20and%20Thrills%20of%20the%20Haunted%20House.md>

[https://github.com/togeerta/Price-Tracking-Web-Scraper/blob/main/scheduler/HD%20Online%20Player%20\(Mad%20Max%20Fury%20Road%20full%20mp4%20movie%20fr\)%20-%20Enjoy%20the%20thrilling%20adventure%20of%20Max%20and%20Furiosa.md](https://github.com/togeerta/Price-Tracking-Web-Scraper/blob/main/scheduler/HD%20Online%20Player%20(Mad%20Max%20Fury%20Road%20full%20mp4%20movie%20fr)%20-%20Enjoy%20the%20thrilling%20adventure%20of%20Max%20and%20Furiosa.md)

<https://github.com/8pilniplacge/fuel-core/blob/master/.cargo/Teowin%207.0%20Full%20Gratis%20A%20Comparison%20with%20Other%203D%20Software%20for%20Furniture%20Design%20and%20Manufacturing.md>

<https://github.com/difconluwa/system-design/blob/main/diagrams/J.%20Cole%20-%202014%20Forest%20Hills%20Drive%20{MP3-2014}%20Utorrent%20How%20to%20Get%20the%20High-Quality%20MP3%20Files%20of%20the%20Hip-Hop%20Masterpiece.md>

[https://github.com/sichtfickmenle/codox/blob/master/boot-codox/src/codox/HD%20Online%20Player%20\(Dharam%20Sankat%20Mein%20Movie%20Download%20Fi\)%20Paresh%20Rawal%20and%20Naseeruddin%20Shah%20Star%20in%20a%20Remake%20of%20The%20Infidel.md](https://github.com/sichtfickmenle/codox/blob/master/boot-codox/src/codox/HD%20Online%20Player%20(Dharam%20Sankat%20Mein%20Movie%20Download%20Fi)%20Paresh%20Rawal%20and%20Naseeruddin%20Shah%20Star%20in%20a%20Remake%20of%20The%20Infidel.md)

<https://github.com/luelimerto/langchain/blob/master/tests/Download%20Advanced%20SystemCare%20Ultimate%20v13.0.1.85%20The%20One-Stop%20Solution%20for%20Windows%20Security%20and%20Optimization.md>